


PRODUCT-DETAILS

EH3C93D1 EH3C93D1 EH3 DIN3 1125 AP Schrank DS



| General Information | |
|-----------------------|---|
| Extended Product Type | EH3C93D1 |
| Product ID | 4TBE843320C0100 |
| EAN | 5411815239090 |
| Catalog Description | EH3C93D1 EH3 DIN3 1125 AP Schrank DS |
| Long Description | Cable distribution cabinet with profiled surface. They have a three-point lock with swivelling lever handle for 2 profile half cylinders. The cabinets are made of hot- pressed, glass-fibre reinforced polyester, dyed through in RAL 7035 light grey. They are corrosion-resistant and UV-resistant, making them suitable for outdoor use. The enclosures are suitable for ambient conditions from -35°C to +70°C. The open door can be easily disassembled by removing the hinge pins for optimal access to the cabinet. The door opening angle is greater than 180°. There are pressed-in core holes in the rear panel to accept M8 press-in nuts for mounting busbars, mounting frames or mounting plates. The enclosures are supplied with an open base, base plates are available as accessories. There are fixing points in the side panel for mounting horizontal busbars. The enclosures are designed for mounting on bases according to DIN 43629 with standard dimensions between the mounting points. EH3A80 Door AP profiled PK3/0 Single parts EH3 |

| Technical | |
|-------------------|-----------------------|
| Cover Plate Type | Door |
| Mounting Type | Floor installation |
| Door Type | Double |
| Surface Finishing | Untreated |
| Housing Material | Plastic |
| Cover Style | Closed |
| RAL Number | RAL 7035 - Light Grey |

EH3C93D1

| Color | Grey |
|-----------|---------------------|
| Thickness | Cabinet Plate 25 mm |
| | Door Plate 25 mm |

| Environmental | |
|----------------------|----------|
| Degree of Protection | IP44 |
| Protection Class | Isolated |

| Dimensions | |
|----------------------------------|-----------|
| Product Net Width | 1445 mm |
| Product Net Height | 1125 mm |
| Product Net Depth / Length | 320 mm |
| Product Net Weight | 56.500 kg |
| Built-In Depth (t ₂) | 1302 mm |

Container Information

| Package Level 1 Units | box 1 piece |
|-----------------------------------|-----------------------|
| Package Level 1 Width | 1.130 m |
| Package Level 1 Height | 0.320 m |
| Package Level 1 Depth / Length | 1.430 m |
| Package Level 1 Gross Weight | 56.500 kg |
| Package Level 1 EAN | 5411815239090 |
| Package Level 3 Units | pallet (lift) 4 piece |
| Package Level 3 Width | 1200 mm |
| Package Level 3 Height | 1600 mm |
| Package Level 3 Depth / Length | 1450 mm |
| Package Level 3 Gross Weight | 237.9 kg |

| Ordering | |
|------------------------|--------------|
| Minimum Order Quantity | BX 1 piece |
| Customs Tariff Number | 85381000 |
| Country of Origin | Belgium (BE) |

| Certificates and Declarations (Document Number) | | |
|---|-----------------------|--|
| Declaration of Conformity - CE | No declaration needed | |
| Instructions and Manuals | No document needed | |
| Popular Downloads | | |
| Data Sheet, Technical Information | No document needed | |
| Instructions and Manuals | No document needed | |

| Classifications | |
|---------------------------|--|
| EC000058 - Empty cabinet | |
| EC000058 - Empty cabinet | |
| Product Not in WEEE Scope | |
| Business To Business | |
| V11.0 : 27142408 | |
| - | |

Categories

Low Voltage Products and Systems \rightarrow Enclosures \rightarrow General Purpose Enclosures \rightarrow Pedestals \rightarrow EH3 Pedestals

