F204 B-125/0,03-L



General Information

Long Description:

Extended Product Type: F204 B-125/0,03-L Product ID: 2CSF204523R1950 EAN:

8012542988700

Catalog Description: F204 B-125/0.03-L - Resid. Current Dev.

> The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is particularly suitable for the protection against smooth d.c. earth fault currents. This product is suitable for installations

where neutral on the left is needed.

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

Ordering

EAN: 8012542988700 Minimum Order Quantity: 1 piece **Customs Tariff Number:** 85363030

Dimensions

Product Net Width: 0.072 m 0.085 m **Product Net Height: Product Net Depth:** 0.069 m 0.500 kg **Product Net Weight:**

Container Information

Package Level 1 Units: 1 piece Package Level 1 Width: 0.073 m 0.078 m Package Level 1 Height: Package Level 1 Length: 0.09 m Package Level 1 Gross Weight: 0.525 ka Package Level 1 EAN: 8012542988717

Technical

IEC EN 61008 Standards: IEC 62423 Operating Characteristic: Instantaneous Type of Residual Current: B type Rated Residual Current: 30 mA Rated Current (In): 125 A **Number of Poles:** 4 **Position of Neutral Terminals:** Left Per Pole 28 W Power Loss:

Environmental

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: ITSCE135F204B **RoHS Information:** 2CSC423005K0201

Classifications

Object Classification Code: Q ETIM 4.0: EC000003 - Residual current circuit breaker (RCCB)

ETIM 5.0: EC000003 - Residual current circuit breaker (RCCB)

