## F204 B S-40/0,3



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs Residual Current Devices RCDs

General Information

 Extended Product Type:
 F204 B S-40/0,3

 Product ID:
 2CSF204892R3400

 EAN:
 8012542347736

Catalog Description: F204 B S-40/0,3 Residual Current Dev.

Long Description: The RCCBs F200 series assures protection to people and installations against fault curren

t to earth. A large offer for standard instantaneous and selective AC and A types is complet ed with some configurations for special applications. This product is particularly suitable for

the protection against smooth d.c. earth fault currents.

## Additional Information

Country of Origin:	Italy (IT)
Customs Tariff Number:	85363030
Data Sheet, Technical Information:	2CSF423009D6401
Declaration of Conformity - CE:	9AKK106713A5610
EAN:	8012542347736
EPLAN Catalog Tree:	Electrical engineering / Protection devices / Ground fault current circuit breaker
ЕПМ 4:	EC000003 - Residual current circuit breaker (RCCB)
ЕТІМ 5:	EC000003 - Residual current circuit breaker (RCCB)
ЕТІМ 6:	EC000003 - Residual current circuit breaker (RCCB)
Environmental Information:	S-P-00081
Instructions and Manuals:	9AKK106354A0846
Invoice Description:	F204 B S-40/0,3 Residual Current Dev.
Minimum Order Quantity:	1 piece
Number of Poles:	4
Object Classification Code:	Q
Operating Characteristic:	Selective
Options Provided:	-
Package Level 1 EAN:	8012542347736
Package Level 1 Gross Weight:	0.525 kg
Package Level 1 Height:	0.078 m
Package Level 1 Length:	0.09 m
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.073 m
Position of Neutral Terminals:	Right
Power Loss:	at Rated Operating Conditions per Pole 1.81 W
Product Main Type:	F200
Product Name:	Residual Current Circuit Breaker
Product Net Depth:	0.069 m
Product Net Height:	0.085 m
Product Net Weight:	0.500 kg
Product Net Width:	0.072 m
Rated Current (I <sub>n</sub> ):	40 A
Rated Frequency (f):	50 60 Hz
Rated Operational Voltage:	230 / 400 V AC
Rated Residual Current:	300 mA
RoHS Date:	20141120
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Standards:	IEC/EN 61008
Type of Residual Current:	B type
Accessories Available:	Yes

