

## General Information

<b>Extended Product Type:</b>	MSMN
<b>Product ID:</b>	1SAM101923R0002
<b>EAN:</b>	4013614405334
<b>Catalog Description:</b>	MSMN Driver
<b>Long Description:</b>	MSMN Driver w. screw for manual motor starters, 6x6

## Additional Information

<b>Country of Origin:</b>	Czech Republic (CZ)
<b>Customs Tariff Number:</b>	85369095
<b>Data Sheet, Technical Information:</b>	1SBC100173C0201
<b>Declaration of Conformity - CE:</b>	NoDecNee
<b>E-number:</b>	3112084
<b>EAN:</b>	4013614405334
<b>EPLAN Catalog Tree:</b>	Electrical engineering / Protection devices / Motor overload switch
<b>ETIM 4:</b>	EC002498 - Accessories for low-voltage switch technology
<b>ETIM 5:</b>	EC002498 - Accessories for low-voltage switch technology
<b>ETIM 6:</b>	EC002498 - Accessories for low-voltage switch technology
<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Industrial IT Certification Level:</b>	0
<b>Instructions and Manuals:</b>	2CDC131031M0001
<b>Invoice Description:</b>	MSMN Driver w. screw for manual motor starters, 6x6
<b>Minimum Order Quantity:</b>	1 piece
<b>Package Level 1 Gross Weight:</b>	1.7 g
<b>Package Level 1 Height:</b>	112 mm
<b>Package Level 1 Length:</b>	60 mm
<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	143 mm
<b>Package Level 2 EAN:</b>	4013614409813
<b>Package Level 2 Units:</b>	10 piece
<b>Product Main Type:</b>	MSMN
<b>Product Name:</b>	Driver
<b>Product Net Depth:</b>	31.2 mm
<b>Product Net Height:</b>	12.5 mm
<b>Product Net Weight:</b>	1.7 g
<b>Product Net Width:</b>	10 mm
<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment
<b>Selling Unit of Measure:</b>	piece
<b>Shaft Diameter:</b>	6x6 mm
<b>Short Description:</b>	MSMN Driver w. screw
<b>Suitable For:</b>	MS116 MS132 MS325 MO325
<b>Suitable for Product Class:</b>	Manual Motor Starter
<b>Tightening Torque:</b>	0.12 N·m
<b>Tightening Torque UL/CSA:</b>	1.06 in·lb
<b>UNSPSC:</b>	39120000
<b>eClass:</b>	7.0 27379201

