




# Spring-Clamp Connection Terminal Blocks

## Standard Feed-Through Blocks

	<b>1492-L3</b>				<b>1492-L3T</b>				<b>1492-L3Q</b>			
Dimensions are not intended to be used for manufacturing purposes. <b>Note:</b> Height dimension is measured from top of rail to top of terminal block.												
<b>Specifications</b>	<i>Feed-through terminal block</i>				<i>Feed-through terminal block with 3 connection points, 2 on one side</i>				<i>Feed-through terminal block with 2 points on each side</i>			
<b>Certifications</b>		<b>CSA</b>	<b>IEC</b>	<b>ATEX</b>		<b>CSA</b>	<b>IEC</b>	<b>ATEX</b>		<b>CSA</b>	<b>IEC</b>	<b>ATEX</b>
<b>Voltage Rating</b>	600V AC/DC		800V AC/DC	550V AC/DC	600V AC/DC		800V AC/DC	550V AC/DC	600V AC/DC		800V AC/DC	550V AC/DC
<b>Maximum Current</b>	25 A	27 A	24 A	21 A	25 A	27 A	24 A	21 A	25 A	27 A	24 A	21 A
<b>Wire Range (Rated Cross Section)</b>	#30... 12 AWG	#26... 12 AWG	2.5 mm <sup>2</sup>	2.5 mm <sup>2</sup> (20...12 AWG)	#30... 12 AWG	#26... 12 AWG	2.5 mm <sup>2</sup>	2.5 mm <sup>2</sup> (20...12 AWG)	#30... 12 AWG	#26... 12 AWG	2.5 mm <sup>2</sup>	2.5 mm <sup>2</sup> (20...12 AWG)
<b>Wire Strip Length</b>	0.39 in. (10 mm)				0.39 in. (10 mm)				0.39 in. (10 mm)			
<b>Density</b>	59 pcs/ft (196 pcs/m)				59 pcs/ft (196 pcs/m)				59 pcs/ft (196 pcs/m)			
<b>Housing Temperature Range</b>	-58...+248 °F (-50...+120 °C)				-58...+248 °F (-50...+120 °C)				-58...+248 °F (-50...+120 °C)			
<b>Short-Circuit Current Rating (SCCR)</b>	See page 12-78											
<b>Terminal Blocks</b>	<b>Cat. No.</b>		<b>Pkg Qty.</b>		<b>Cat. No.</b>		<b>Pkg Qty.</b>		<b>Cat. No.</b>		<b>Pkg Qty.</b>	
<b>Color</b>	Grey	<b>1492-L3</b>	100		<b>1492-L3T</b>	100			<b>1492-L3Q</b>	100		
	Red	<b>1492-L3-RE</b>	100		<b>1492-L3T-RE</b>	100			<b>1492-L3Q-RE</b>	100		
	Blue	<b>1492-L3-B</b>	100		<b>1492-L3T-B</b>	100			<b>1492-L3Q-B</b>	100		
	Black	<b>1492-L3-BL</b>	100		<b>1492-L3T-BL</b>	100			<b>1492-L3Q-BL</b>	100		
	Green	<b>1492-L3-G</b>	100		<b>1492-L3T-G</b>	100			<b>1492-L3Q-G</b>	100		
	Yellow	<b>1492-L3-Y</b>	100		<b>1492-L3T-Y</b>	100			<b>1492-L3Q-Y</b>	100		
	Orange	<b>1492-L3-OR</b>	100		<b>1492-L3T-OR</b>	100			<b>1492-L3Q-OR</b>	100		
	Brown	<b>1492-L3-BR</b>	100		<b>1492-L3T-BR</b>	100			<b>1492-L3Q-BR</b>	100		
	White	<b>1492-L3-W</b>	100		<b>1492-L3T-W</b>	100			<b>1492-L3Q-W</b>	100		
<b>Accessories</b>	<b>Cat. No.</b>		<b>Pkg Qty.</b>		<b>Cat. No.</b>		<b>Pkg Qty.</b>		<b>Cat. No.</b>		<b>Pkg Qty.</b>	
<b>Mounting Rails</b>	<b>199-DR1</b>		10		<b>199-DR1</b>		10		<b>199-DR1</b>		10	
1 m Symmetrical DIN (Steel)	<b>1492-DR5</b>		10		<b>1492-DR5</b>		10		<b>1492-DR5</b>		10	
1 m Symmetrical DIN (Aluminum)	<b>1492-DR6</b>		2		<b>1492-DR6</b>		2		<b>1492-DR6</b>		2	
1 m Hi-Rise Sym. DIN (Aluminum)	<b>1492-DR7</b>		2		<b>1492-DR7</b>		2		<b>1492-DR7</b>		2	
1 m Angled Hi-Rise Sym. DIN (Steel)	<b>1492-EBL3</b>		50		<b>1492-EBL3T</b>		50		<b>1492-EBL3Q</b>		50	
<b>End Barriers</b>	Grey	<b>1492-EBL3-B</b>	50		<b>1492-EBL3T-B</b>	50		<b>1492-EBL3Q-B</b>	50		50	
	Blue	<b>1492-EBL3-Y</b>	50		<b>1492-EBL3T-Y</b>	50		<b>1492-EBL3Q-Y</b>	50		50	
	Yellow	<b>1492-ERL35</b>	20		<b>1492-ERL35</b>	20		<b>1492-ERL35</b>	20		20	
<b>End Anchors and Retainers</b>	<b>1492-EAJ35</b>		100		<b>1492-EAJ35</b>		100		<b>1492-EAJ35</b>		100	
Screwless End Retainer	<b>1492-EAHJ35</b>		50		<b>1492-EAHJ35</b>		50		<b>1492-EAHJ35</b>		50	
DIN Rail — Normal Duty	<b>1492-CJK5-50</b>		10		<b>1492-CJK5-50</b>		10		<b>1492-CJK5-50</b>		10	
DIN Rail — Heavy Duty	<b>1492-CJK5-10</b>		20		<b>1492-CJK5-10</b>		20		<b>1492-CJK5-10</b>		20	
<b>Jumpers</b>	<b>1492-CJK5-9</b>		20		<b>1492-CJK5-9</b>		20		<b>1492-CJK5-9</b>		20	
Plug-in Center Jumper — 50-Pole	<b>1492-CJK5-8</b>		20		<b>1492-CJK5-8</b>		20		<b>1492-CJK5-8</b>		20	
Plug-in Center Jumper — 10-Pole	<b>1492-CJK5-7</b>		20		<b>1492-CJK5-7</b>		20		<b>1492-CJK5-7</b>		20	
Plug-in Center Jumper — 9-Pole	<b>1492-CJK5-6</b>		20		<b>1492-CJK5-6</b>		20		<b>1492-CJK5-6</b>		20	
Plug-in Center Jumper — 8-Pole	<b>1492-CJK5-5</b>		20		<b>1492-CJK5-5</b>		20		<b>1492-CJK5-5</b>		20	
Plug-in Center Jumper — 7-Pole	<b>1492-CJK5-4</b>		60		<b>1492-CJK5-4</b>		60		<b>1492-CJK5-4</b>		60	
Plug-in Center Jumper — 6-Pole	<b>1492-CJK5-3</b>		60		<b>1492-CJK5-3</b>		60		<b>1492-CJK5-3</b>		60	
Plug-in Center Jumper — 5-Pole	<b>1492-CJK5-2</b>		60		<b>1492-CJK5-2</b>		60		<b>1492-CJK5-2</b>		60	
Plug-in Center Jumper — 4-Pole	<b>1492-PSL3-2</b>		100		<b>1492-PSL3-2</b>		100		<b>1492-PSL3-2</b>		100	
Plug-in Center Jumper — 3-Pole	<b>1492-PSL3-5</b>		100		<b>1492-PSL3-5</b>		100		<b>1492-PSL3-5</b>		100	
Plug-in Center Jumper — 2-Pole	<b>1492-PSL3-10</b>		100		<b>1492-PSL3-10</b>		100		<b>1492-PSL3-10</b>		100	
<b>Other Accessories</b>	<b>1492-TP23</b>		20		<b>1492-TP23</b>		20		<b>1492-TP23</b>		20	
Reducing Sleeves #30...#24 AWG (0.13...0.2 mm <sup>2</sup> ) White	<b>1492-TPL5</b>		25		<b>1492-TPL5</b>		25		<b>1492-TPL5</b>		25	
Reducing Sleeves #22...#20 AWG (0.25...0.5 mm <sup>2</sup> ) Grey	<b>1492-EWPL5</b>		20		<b>1492-EWPL5</b>		20		<b>1492-EWPL5</b>		20	
Reducing Sleeves #18 AWG (0.75...1.0 mm <sup>2</sup> ) Dark Grey	<b>1492-M5X10</b> (144/card)		5		<b>1492-M5X10</b> (144/card)		5		<b>1492-M5X10</b> (144/card)		5	
Test Plug	<b>1492-M5X5</b> (200/card)		5		<b>1492-M5X5</b> (200/card)		5		<b>1492-M5X5</b> (200/card)		5	
Test Plug (Stackable)	<b>1492-MH5X10</b> (96/card)		5		<b>1492-MH5X10</b> (96/card)		5		<b>1492-MH5X10</b> (96/card)		5	
Electrical Warning Plate	<b>1492-MH5X15</b> (96/card)		5		<b>1492-MH5X15</b> (96/card)		5		<b>1492-MH5X15</b> (96/card)		5	
<b>Marking Systems</b>	<b>1492-M5X10</b> (144/card)		5		<b>1492-M5X10</b> (144/card)		5		<b>1492-M5X10</b> (144/card)		5	
Snap-In Marker Cards	<b>1492-M5X5</b> (200/card)		5		<b>1492-M5X5</b> (200/card)		5		<b>1492-M5X5</b> (200/card)		5	
Snap-In Marker Cards	<b>1492-MH5X10</b> (96/card)		5		<b>1492-MH5X10</b> (96/card)		5		<b>1492-MH5X10</b> (96/card)		5	
Hinged Marker Cards	<b>1492-MH5X15</b> (96/card)		5		<b>1492-MH5X15</b> (96/card)		5		<b>1492-MH5X15</b> (96/card)		5	
Hinged Marker Cards												