



ZK2020-3200-0xxx | Power cable, PUR, 4 x 0.34 mm², drag-chain suitable



i Product status: Regular delivery

M8, socket, straight, female, 4-pin – open end


Product information

Technical data

Technical data	Head A
Shielding	no
Installation size	M8
Connector type	socket
Contact type	female
Number of positions (face)	4-pin
Coding	A-coded
Body color	black

Technical data	Head B
Installation size	open end
Number of positions (face)	4-wire

Technical data	Meterware
Cross-section	4 x 0.34 mm ² (AWG 22)
Use	drag-chain suitable
Material jacket	PUR (polyurethane)
Outer cable diameter	4.7 mm ± 0.15 mm (0.185" ± 0.0059")
Jacket color	black



A1	33.00 mm
----	----------

Ordering information

Ordering information	Length
ZK2020-3200-0003	0.30 m
ZK2020-3200-0005	0.50 m
ZK2020-3200-0010	1.00 m
ZK2020-3200-0011	1.10 m
ZK2020-3200-0012	1.20 m
ZK2020-3200-0013	1.30 m
ZK2020-3200-0015	1.50 m
ZK2020-3200-0020	2.00 m
ZK2020-3200-0025	2.50 m
ZK2020-3200-0030	3.00 m
ZK2020-3200-0035	3.50 m
ZK2020-3200-0045	4.50 m
ZK2020-3200-0050	5.00 m
ZK2020-3200-0060	6.00 m
ZK2020-3200-0070	7.00 m
ZK2020-3200-0080	8.00 m
ZK2020-3200-0085	8.50 m
ZK2020-3200-0090	9.00 m
ZK2020-3200-0100	10.00 m
ZK2020-3200-0125	12.50 m

ZK2020-3200-0130	13.00 m
ZK2020-3200-0150	15.00 m
ZK2020-3200-0155	15.50 m
ZK2020-3200-0170	17.00 m
ZK2020-3200-0200	20.00 m
ZK2020-3200-0205	20.50 m
ZK2020-3200-0250	25.00 m
ZK2020-3200-0285	28.50 m
ZK2020-3200-0300	30.00 m
ZK2020-3200-0400	40.00 m
ZK2020-3200-0500	50.00 m
ZK2020-3200-0600	60.00 m

Further length on request