

## AP 2 CM

Order No.: 5022889



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=5022889>

Cover profile for covering terminal strips, snaps onto cover profile carrier AP 2-TU, can be labeled with insert strip AP-ES. A cover profile carrier is to be positioned at the ends and at intervals of approx. 40 cm. Maximum supply length: As per customer order

### Commercial data

Note	Made-to-order
sales group	B232
Pack	1 Pcs.
Customs tariff	39162000
Catalog page information	Page 351 (CL2-2011)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Length (b)	1 m
Height	33 mm
Width (a)	60 mm

---

Color	transparent
Inflammability class according to UL 94	V2
Ambient temperature (operation)	-15 °C ... 65 °C
Material	PVC

### Certificates / Approvals

Certification


Certifications applied for:

Certification Ex:

---

### Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact  
Technical modifications reserved;