

AP 3 CM

Order No.: 5022876



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=5022876>

Cover profile for covering terminal strips, snaps onto AP 3-TU, AP 3-TNS 35 cover profile carriers, can be labeled with AP-ES insert strip. A cover profile carrier is to be positioned at the ends and at intervals of around approx. 40 cm. Supply length: As per customer order

Commercial data

Note	Made-to-order
sales group	B232
Pack	1 Pcs.
Customs tariff	39162000
Catalog page information	Page 351 (CL2-2011)

Product notes

WEEE/RoHS-compliant since:
01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	93.5 mm
Height	44.5 mm
Width (a)	1 m

Color	transparent
Inflammability class according to UL 94	V2
Ambient temperature (operation)	-15 °C ... 65 °C
Material	PVC

Certificates / Approvals


Certification

Certifications applied for:

Certification Ex:

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact
Technical modifications reserved;