

Electronic housing - ME 6,2 TBUS-2 1,5/5-ST-3,81 GN - 2869728

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)


DIN rail connector for DIN rail mounting. Universal for TBUS housing. Gold-plated contacts, 5-pos.



Why buy this product

- For bridging the supply voltage
- One DIN rail connector for two MINI Analog modules
- Current carrying capacity of 8 A parallel to DIN rail and 2 A parallel to MINI Analog modules
- Reduced wiring effort
- Module replacement without interrupting the supply to the remaining modules (hot swappable)

Key commercial data

Packing unit	10 pc
GTIN	 4 017918 983093
Weight per Piece (excluding packing)	4.6 g
Weight per piece (including packing)	6.28 g
Custom tariff number	85366990
Country of origin	Germany
Sales Key	F1 - Electronic Housing

Technical data

Product type	DIN rail connector
Approval	UL Recognized
	cUL Recognized
	cULus Recognized

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506

Electronic housing - ME 6,2 TBUS-2 1,5/5-ST-3,81 GN - 2869728

Classifications

eCl@ss

eCl@ss 6.0	27180802
eCl@ss 7.0	27449001
eCl@ss 8.0	27449001

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Recognized / cUL Recognized / cULus Recognized

Ex Approvals


Approvals submitted


Approval details

UL Recognized		
	B	D
Nominal current IN	8 A	8 A
Nominal voltage UN	150 V	150 V

Electronic housing - ME 6,2 TBUS-2 1,5/5-ST-3,81 GN - 2869728

Approvals

cUL Recognized 		
	B	D
Nominal current IN	8 A	8 A
Nominal voltage UN	150 V	150 V

cULus Recognized 		
--	--	--