

# PAB-KTL 23 - Cable marker carrier



1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable marker carrier, transparent, unlabeled, horizontal, mounting type: Assembly with cable ties, cable diameter: > 10 mm, lettering field size: 23 x 4 mm



## Your advantages

- Marking collars for marking and bundling conductors
- Can be labeled using UC-WMT ... or US-WMT ... plastic labels or the EMT ... insert strips

## Commercial data

|                                      |                         |
|--------------------------------------|-------------------------|
| Item number                          | 1013957                 |
| Packing unit                         | 200 pc                  |
| Minimum order quantity               | 200 pc                  |
| Sales key                            | B1 - Markierung Montage |
| Product key                          | BG231A                  |
| Catalog page                         | Page 249 (C-3-2019)     |
| GTIN                                 | 4017918014131           |
| Weight per piece (including packing) | 0,541 g                 |
| Weight per piece (excluding packing) | 0,372 g                 |
| Customs tariff number                | 39269097                |
| Country of origin                    | SE                      |

## Technical data

### Product properties

|              |                      |
|--------------|----------------------|
| Product type | Marker carrier cable |
| Type         | Profile              |

### Data management status

|                  |    |
|------------------|----|
| Article revision | 01 |
|------------------|----|

### Marking

|                    |            |
|--------------------|------------|
| Printing direction | horizontal |
|--------------------|------------|

### Dimensions

|                   |          |
|-------------------|----------|
| Width             | 23 mm    |
| Text field width  | 23.00 mm |
| Text field height | 4.00 mm  |
| Length            | 4 mm     |

### External dimensions

|                  |                 |
|------------------|-----------------|
| Outside diameter | 6 mm ... 136 mm |
|------------------|-----------------|

### Material specifications

|            |               |
|------------|---------------|
| Color      | transparent   |
| Material   | PVC           |
| Components | Silicone-free |

### Cable/line

|                         |            |
|-------------------------|------------|
| External cable diameter | > 10.00 mm |
|-------------------------|------------|

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

|                         |                       |
|-------------------------|-----------------------|
| Result                  | Test passed           |
| Specification           | IEC 60068-2-2:2007-07 |
| Result                  | Test passed           |
| Duration                | 96 h                  |
| Temperature for testing | 80 °C                 |

#### Ambient conditions

|   |   |
|---|---|
| Ambient temperature (operation)                     | -50 °C ... 80 °C  |
| Recommended ambient temperature (storage/transport) | 23 °C   |
| Recommended humidity (storage/transport)            | 50 % (Storage in a dry and dark place in the original packaging is recommended) |
| Shelf life  | 2 years   |

### Mounting

# PAB-KTL 23 - Cable marker carrier



1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

Mounting type

Assembly with cable ties

# PAB-KTL 23 - Cable marker carrier



1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281105 |
| ECLASS-12.0 | 27281105 |
| ECLASS-13.0 | 27281105 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC001530 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# PAB-KTL 23 - Cable marker carrier



1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## Accessories

### UCT-WMT (23X4) - Conductor marker

0801453

<https://www.phoenixcontact.com/de/produkte/0801453>



Conductor marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

### UCT-WMT (23X4) BU - Conductor marker

0801460

<https://www.phoenixcontact.com/de/produkte/0801460>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UCT-WMT (23X4) GN - Conductor marker

0801457

<https://www.phoenixcontact.com/de/produkte/0801457>



Conductor marker, Sheet, green, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

## UCT-WMT (23X4) OG - Conductor marker

0801456

<https://www.phoenixcontact.com/de/produkte/0801456>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UCT-WMT (23X4) RD - Conductor marker

0801455

<https://www.phoenixcontact.com/de/produkte/0801455>




Conductor marker, Sheet, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

## UCT-WMT (23X4) YE - Conductor marker

0801454

<https://www.phoenixcontact.com/de/produkte/0801454>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30



# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UC-WMT (23X4) - Conductor marker

0819411

<https://www.phoenixcontact.com/de/produkte/0819411>




Conductor marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## UC-WMT (23X4) BU - Conductor marker

0821111

<https://www.phoenixcontact.com/de/produkte/0821111>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UC-WMT (23X4) GN - Conductor marker

0824121

<https://www.phoenixcontact.com/de/produkte/0824121>



Conductor marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## UC-WMT (23X4) OG - Conductor marker

0824118

<https://www.phoenixcontact.com/de/produkte/0824118>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UC-WMT (23X4) RD - Conductor marker

0821124

<https://www.phoenixcontact.com/de/produkte/0821124>



Conductor marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## UC-WMT (23X4) SR - Conductor marker

0802719

<https://www.phoenixcontact.com/de/produkte/0802719>



Conductor marker, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# PAB-KTL 23 - Cable marker carrier


1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## UC-WMT (23X4) YE - Conductor marker

0819424

<https://www.phoenixcontact.com/de/produkte/0819424>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## US-WMT (23X4) - Cable marker

0828769

<https://www.phoenixcontact.com/de/produkte/0828769>



Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# PAB-KTL 23 - Cable marker carrier


1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## US-WMT (23X4) BU - Cable marker

0829305

<https://www.phoenixcontact.com/de/produkte/0829305>




Cable marker, Card, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## US-WMT (23X4) GN - Cable marker

0829306

<https://www.phoenixcontact.com/de/produkte/0829306>



Cable marker, Card, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# PAB-KTL 23 - Cable marker carrier


1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## US-WMT (23X4) OG - Cable marker

0829302

<https://www.phoenixcontact.com/de/produkte/0829302>



Cable marker, Card, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## US-WMT (23X4) RD - Cable marker

0829301

<https://www.phoenixcontact.com/de/produkte/0829301>



Cable marker, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## US-WMT (23X4) VT - Cable marker

0829304

<https://www.phoenixcontact.com/de/produkte/0829304>



Cable marker, Card, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## US-WMT (23X4) YE - Cable marker

0828956

<https://www.phoenixcontact.com/de/produkte/0828956>



Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## EMT (23X4)R - Insert label

0817361

<https://www.phoenixcontact.com/de/produkte/0817361>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000

---

## EMT (23X4)R YE - Insert label

0817374

<https://www.phoenixcontact.com/de/produkte/0817374>



Insert label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000



# PAB-KTL 23 - Cable marker carrier

1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## WMTW (23X4)R - Cable marker

0831004

<https://www.phoenixcontact.com/de/produkte/0831004>



Cable marker, Roll, white, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

---

## WMTW (23X4)R YE - Cable marker

0831005

<https://www.phoenixcontact.com/de/produkte/0831005>



Cable marker, Roll, yellow, unlabeled, can be labeled with: THERMOMARK E.300 (D)/600 (D), THERMOMARK ROLL 2.0, THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

# PAB-KTL 23 - Cable marker carrier



1013957

<https://www.phoenixcontact.com/de/produkte/1013957>

## MM-EMT (EX4)R C1 WH/BK - Insert label

1169312

<https://www.phoenixcontact.com/de/produkte/1169312>



Insert label, Assembly note: Before applying, the material must be folded in the middle at the perforated line, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 3 mm, Number of individual labels: 1

---

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH

Flachsmarktstraße 8

D-32825 Blomberg

+49 52 35/3-1 20 00

[info@phoenixcontact.de](mailto:info@phoenixcontact.de)