

## ZB 6,LGS:FORTL.ZAHLEN

Order No.: 1051016

The illustration shows the version ZB 6:UNBEDRUCKT

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1051016>

Zack marker strip, Strip, white, labeled, Can be labeled with: Plotter, Printed horizontally: Consecutive numbers 1 - 10, 11 - 20, etc. up to 491 - 500, Mounting type: Snap into tall marker groove, For terminal block width: 6.2 mm, Lettering field: 6.15 x 10.5 mm

Commercial data	
sales group	B101
Pack	10 Pcs.
Customs tariff	39269097
Gross weight in pieces	0.0015 KG
Net weight per piece	0.00133 KG
Catalog page information	Page 60 (CL2-2011)

**Product notes**WEEE/RoHS-compliant since:  
01/01/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Note	For labeling according to customer requirements, please select product 0824992
Width (a)	6 mm
Color	white

Inflammability class according to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen
Material	PA
Printing direction	Printed horizontally
Printing	Consecutive numbers 1 - 10, 11 - 20, etc. up to 491 - 500
Number of individual labels	10
Number of individual labels per row	10

### Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

### Additional products

Item	Designation	Description
------	-------------	-------------

#### Marking

Item	Designation	Description
0824992	ZB 6 CUS	Zack marker strip, Can be ordered: Strip, white, Labeled according to customer specifications, Mounting type: Snap into tall marker groove, For terminal block width: 6.2 mm, Lettering field: 6.15 x 10.5 mm

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact  
Technical modifications reserved;