

Rittal – The System.

Faster – better – everywhere.

► Compact enclosures AE Stainless steel – AE 1010.600

Date : Aug 11, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE Stainless steel – AE 1010.600

created: 11.08.2016 on www.rittal.com/com-en














Product description





Material:	Enclosure: Stainless steel Door: Stainless steel, all-round foamed-in PU seal Mounting plate: Sheet steel Stainless steel 1.4301 (AISI 304) Lock insert: Die-cast zinc, nickel-plated
Surface finish:	Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Mounting plate: Zinc-plated
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X
IK Code:	IK08
Supply includes:	Enclosure with door(s) Mounting plate
Product modification:	From August 2016, surface grinding will change from grain size 240 to grain size 400. The visually refined grinding finish will also enhance the enclosure's cleaning properties.
Packs of:	1 pc(s).
EAN:	4028177000438
Customs tariff number:	94032080
ETIM 6.0:	EC000261

eCl@ss 7.0:	27180101
eCl@ss 5.1:	27180102
Basic material:	Stainless steel
Product features	
Dimensions:	Width: 600 mm Height: 600 mm Depth: 210 mm
Mounting plate:	Width: 549 mm Height: 570 mm
Number of doors:	1
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Weight/pack:	23.5 kg

Approvals

Approvals:	 Bureau Veritas (EN)  CSA (EN)  Germanischer Lloyd (EN)  Lloyds Register of Shipping (EN)  Russian Maritime Register of Shipping (EN)  TUV (EN)  UL + C-UL (EN)
Certificates:	 IK-Code (EN)  Protection category (EN)
Declarations:	 Declaration of conformity (EN, DE)  Manufacturer's declaration (EN, DE)

Downloads

Data sheets:	 Technical details EN
Documentation:	 Instructions (EN, DE)  Load brochure (EN, DE)  White paper EN
CAD drawings:	Request

