

Rittal – The System.

Faster – better – worldwide.

Compact enclosures AE – AE 1054.500

Date : Dec 8, 2013

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE – AE 1054.500

created : 08.12.2013 on www.rittal.com/com-en


















Product description

| | |
|--|--|
| Material: | Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal |
| Surface finish: | Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated |
| Colour: | RAL 7035 |
| Protection category IP to IEC 60 529: | IP 66 |
| Protection category NEMA: | NEMA 4 |
| Supply includes: | Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate |
| Packs of: | 1 pc(s). |
| EAN: | 4028177522923 |

Product features

| | |
|------------------------|--|
| Dimensions: | Width: 600 mm Height: 600 mm Depth: 250 mm |
| Mounting plate: | Width: 549 mm Height: 570 mm |

| | |
|------------------------------|---|
| Number of doors: | 1 |
| Number of cam locks: | 2 |
| Gland plates: | Size/Qty.: 5/1 |
| Weight: | 24.8 kg |
| Approvals | |
| Certificates |  Certificates (EN) |
| Declarations |  Manufacturer's declaration (EN, DE)  Declaration of conformity (EN, DE) |
| Approvals |  UL + C-UL (EN)  TUV (DE)  TUV (EN)  Lloyds Register of Shipping (EN)  Russian Maritime Register of Shipping (RU, EN)  VDE (EN, DE)  CSA (EN)  Germanischer Lloyd (EN) |
| Downloads / CAD | |
| Documentation |  Instructions (DE, EN) |
| Characteristic curves | Sorry, there is currently no information available |
| Videos | Sorry, there is currently no information available |
| Data sheets |  Technical System Catalogue (EN)  Technical System Catalogue (EN)  Technical data sheet (EN) |
| CAD-Drawing | Request |

Please note that there are the following alternative products:



Kompakt-Schaltschränke AE Stahlblech, IP 69K



EMV Kompakt-Schaltschränke AE



Kompakt-Schaltschranke AE Edelstahl



Hygienic Design Kompakt-Schaltschrank HD

Rittal – The System.

Faster – better – worldwide.

- Enclosures
- Power distribution
- Climate control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postbox 1662 · D-35726 Herborn
Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

