

Rittal – The System.

Faster – better – everywhere.

Compact enclosures AE – AE 1076.500

Date : Aug 12, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE – AE 1076.500












created: 12.08.2016 on www.rittal.com/com-en





Product description

Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate
Packs of:	1 pc(s).
EAN:	4028177252356
Customs tariff number:	94032080
ETIM 6.0:	EC000261
eCl@ss 7.0:	27180101

eCl@ss 5.1:	27180102
Basic material:	Sheet steel
Product features	
Dimensions:	Width: 600 mm Height: 760 mm Depth: 210 mm
Material thickness:	Enclosure: 1.38 mm Door: 2 mm Mounting plate: 3 mm
Mounting plate:	Width: 549 mm Height: 730 mm
Number of doors:	1
Door hinged on the right, may be swapped to the left:	yes
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Gland plate, size:	5
Gland plates, qty.:	1
Weight/pack:	32.1 kg

Approvals	
Approvals:	<ul style="list-style-type: none">  Bureau Veritas (EN)  CSA (EN)  Germanischer Lloyd (EN)  Lloyds Register of Shipping (EN)  Russian Maritime Register of Shipping (EN)  TUV EN  UL + C-UL (EN)
Certificates:	<ul style="list-style-type: none">  IK-Code (EN)  Protection category (EN)
Declarations:	<ul style="list-style-type: none">  Declaration of conformity (EN, DE)  Manufacturer's declaration (EN, DE)

Downloads

Data sheets:  [Technical details](#)
EN
 [Technical system catalogue](#)
EN

Documentation:  [Instructions](#)
FR, EN, DE
 [Load brochure \(EN, DE\)](#)
 [White paper](#)
EN

CAD drawings: Request
