

# Rittal – The System.

Faster – better – everywhere.

## Compact enclosures AE – AE 1380.500

Date : Aug 16, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP












# Compact enclosures AE – AE 1380.500



created: 16.08.2016 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

<b>Material:</b>	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
<b>Surface finish:</b>	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
<b>Colour:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4
<b>IK Code:</b>	IK08
<b>Supply includes:</b>	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate
<b>Packs of:</b>	1 pc(s).
<b>EAN:</b>	4028177252516
<b>Customs tariff number:</b>	94032080
<b>ETIM 6.0:</b>	EC000261
<b>eCl@ss 7.0:</b>	27180101

<b>eCl@ss 5.1:</b>	27180102
<b>Basic material:</b>	Sheet steel
<b>Product features</b>	
<b>Dimensions:</b>	Width: 380 mm Height: 380 mm Depth: 210 mm
<b>Material thickness:</b>	Enclosure: 1.38 mm Door: 1.5 mm Mounting plate: 2 mm
<b>Mounting plate:</b>	Width: 334 mm Height: 355 mm
<b>Number of doors:</b>	1
<b>Door hinged on the right, may be swapped to the left:</b>	yes
<b>Lock version:</b>	Cam
<b>Number of locks:</b>	1
<b>Lock insert:</b>	3 mm double-bit
<b>Gland plate, size:</b>	3
<b>Gland plates, qty.:</b>	1
<b>Weight/pack:</b>	9.8 kg
<b>Approvals</b>	
<b>Approvals:</b>	<ul style="list-style-type: none"> <li> <a href="#">Bureau Veritas (EN)</a></li> <li> <a href="#">CSA (EN)</a></li> <li> <a href="#">Germanischer Lloyd (EN)</a></li> <li> <a href="#">Lloyds Register of Shipping (EN)</a></li> <li> <a href="#">Russian Maritime Register of Shipping (EN)</a></li> <li> <a href="#">TUV EN</a></li> <li> <a href="#">UL + C-UL (EN)</a></li> </ul>
<b>Certificates:</b>	<ul style="list-style-type: none"> <li> <a href="#">IK-Code (EN)</a></li> <li> <a href="#">Protection category (EN)</a></li> </ul>
<b>Declarations:</b>	<ul style="list-style-type: none"> <li> <a href="#">Declaration of conformity (EN, DE)</a></li> <li> <a href="#">Manufacturer's declaration (EN, DE)</a></li> </ul>
<b>Downloads</b>	

**Data sheets:**  [Technical details](#)  
EN  
 [Technical system catalogue](#)  
EN

---

**Documentation:**  [Instructions](#)  
FR, EN, DE  
 [Load brochure \(EN, DE\)](#)  
 [White paper](#)  
EN

---

**CAD drawings:** Request

---