


Data sheet

KL 1522.010



Main data:

| | |
|-------------------------------|---|
| Model No.: | KL 1522.010 |
| Designation: | Terminal box, stainless steel, without gland plate, |
| Variant: | Edelstahl, ohne Montageplatte |
| Packs of: | 1 ST |
| W x H x D: | 300 mm x 150 mm x 80 mm |
| Mounting surface: | n/a |
| Volume: | 4,88 dm ³ |
| Net weight: | 1,67 kg |
| EAN: | 4028177008465 |
| Customs number: | 85381000 |
| Protection categories: | NEMA 1, NEMA 4, NEMA 12, IP 66 |


[You can find the product in Catalogue 32, page 305](#)

Approbationen:

| | |
|------------|------------------------|
| BV | 04880_E0_BV |
| CE | 1 339 701-0 |
| CSA | LR 59132 |
| CUL | E 86711 |
| GL | 69 280 - 90 HH |
| HE | 1 356 710-0 |
| HE | 1 356 710-0 |
| LR | 04 / 20022 |
| MRS | 10.04046.250 |
| TÜV | B 99 03 12010 114 |
| TÜV | B 99 03 12010 114 engl |
| UL | E 86711 |
| VDE | 6312 ÜG |

Data sheet

KL 1522.010



Article features:

Material

Stainless steel 1.4301 (AISI 304)
Enclosure: 1.25 mm
Cover: 1.25 mm
Supply includes
Enclosure, cover with all-round foamed-in PU seal and cover screws,

including plating bushes
Surface finish
Case and cover:
Brushed

Texts for tenders:

Stainless steel terminal box without gland plate,
protection cat. IP 66

Enclosure:

of 1.25 mm stainless steel 1.4301 (AISI 304), folded and welded from a single piece, with all-round protection channel on the cover aperture. Cover of 1.25 mm stainless steel, sealed, with foamed-in special cover seal, facilities for connecting PE conductors in the cover and box, profile strips on both internal sides with mounting holes. Special plastic bush guards against accidental loss of the cover screws and provides screwdriver guidance.

Accessories:

quick-release fastener, cover retainer, plastic cable gland plate, cover hinges, mounting plate

Data sheet
KL 1522.010



Surface finish:
brushed

Dimensions (W x H x D): 300 x 150 x 80 mm