

Rittal – The System.

Faster – better – everywhere.

E-Box EB – EB 1556.500

Date : Mar 10, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



E-Box EB – EB 1556.500

created : 10.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure and door: Sheet steel, all-round foamed-in PU seal

Surface finish:

- Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint
- Mounting plate: Zinc-plated

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 66

Protection category NEMA:

- NEMA 4

Supply includes:

- Enclosure with hinged door
- 180° hinge
- Cam lock with 3 mm double-bit insert
- Mounting plate

Packs of:

- 1 pc(s).

EAN:

- 4028177251793

Customs tariff number:

- 94032080

Product features

Dimensions:

- Width: 300 mm
 - Height: 400 mm
 - Depth: 120 mm
-

Mounting plate:

- Width: 275 mm
 - Height: 385 mm
-

Number of cam locks:










- 1
-

Weight:

- 6.4 kg
-

Approvals


Approvals:

-  [Bureau Veritas \(EN\)](#)
 -  [C-UL \(EN\)](#)
 -  [CSA \(EN\)](#)
 -  [VDE \(EN, DE\)](#)
 -  [TÜV \(EN\)](#)
 -  [TÜV \(DE\)](#)
 -  [Russian Maritime Register of Shipping \(RU, EN\)](#)
 -  [Lloyds Register of Shipping \(EN\)](#)
 -  [UL \(EN\)](#)
 -  [Germanischer Lloyd \(EN\)](#)
-

Certificates:

-  [Certificates \(EN, DE\)](#)
-

Declarations:

-  [Manufacturer's declaration \(EN, DE\)](#)
-

Downloads

CAD drawings:

- [Request](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP