

Rittal – The System.

Faster – better – everywhere.

Bus enclosures BG Stainless steel – BG 1559.010

Date : Mar 2, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Bus enclosures BG Stainless steel – BG 1559.010

created : 02.03.2015 on www.rittal.com/com-en



Product description

Material: Enclosure: Stainless steel 1.4301 (AISI 304)
Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal
180° hinges: Die-cast zinc

Surface finish: Enclosure and cover: Brushed, grain 240
180° hinges: chrome-plated

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
NEMA:** NEMA 4X

Supply includes: Enclosure with cover
180° hinges (2)
Support rail TS 35/7.5

Packs of: 1 pc(s).

EAN: 4028177009950

**Customs tariff
number:** 94032080

eCl@ss 5.1: 27180103

eCl@ss 7.0: 27180101




Product features

Dimensions: Width: 600 mm



Height: 200 mm
Depth: 123 mm

Support rails:	Qty. (type TS 35/7.5): 1
Design support rail:	adjustable on profile strip
Door hinge:	bottom
Number of quick-release fasteners:	3
Weight:	6 kg

Approvals

Approvals:	 TÜV EN  UL + C-UL (EN)
Certificates:	 Protection category (EN)

Downloads

Data sheets:	 Technical details (EN)
Documentation:	 Instructions (EN, DE)
CAD drawings:	Request

Please note that there are the following alternative products:



Bus enclosures BG