

Rittal – The System.

Faster – better – everywhere.

Bus enclosures BG – BG 1578.520

Date : Feb 12, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Bus enclosures BG – BG 1578.520

created : 12.02.2014 on www.rittal.com/com-en

Discontinued product



Product description

Material:

- Enclosure: Sheet steel
- Door: Sheet steel
- Viewing window: made from polycarbonate, 4 mm

Surface finish:

- Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint

Colour:

- RAL 7035

**Protection category
IP to IEC 60 529:**

- IP 65

**Protection category
NEMA:**

- NEMA 12

Supply includes:

- Enclosure with door
- Viewing window in the door
- Mounting plate

Packs of:

- 1 piece(s)

EAN:

- 4028177262102

**Customs tariff
number:**

- 94032080

Product features

Dimensions:

- Width: 600 mm
- Height: 300 mm
- Depth: 155 mm

Viewing window:

- Width: 540 mm
- Height: 115 mm
- Distance bottom edge of window - bottom edge of door: 92 mm

Mounting plate:

- Width: 585 mm
- Height: 275 mm

Door hinge:








- bottom

Number of cam locks:

- 2


Approvals

Approvals:

-  [UL \(EN\)](#)
-  [UL + C-UL \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(EN\)](#)
-  [VDE \(EN, DE\)](#)
-  [C-UL \(EN\)](#)

Downloads

Data sheets:

-  [Technical data sheet \(EN\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP