

# Rittal – The System.

Faster – better – everywhere.

## ► Blanking plate, 482.6 mm (19") – EL 1934.200

Date : Feb 3, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Blanking plate, 482.6 mm (19") – EL 1934.200

created: 03.02.2020 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	For installation in electronic enclosures or housings.
<b>Benefits:</b>	To neatly finish off free locations within the mounting level.
<b>Material:</b>	Aluminium, 3 mm
<b>Surface finish:</b>	Natural anodised

## Product features

<b>Dimensions:</b>	Width: 19"
<b>Units:</b>	4 U
<b>Packs of:</b>	3 pc(s).
<b>Weight/pack:</b>	2.18 kg
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177012745
<b>Customs tariff number:</b>	76169990
<b>ETIM 7.0:</b>	EC000456
<b>ETIM 6.0:</b>	EC000456

<b>eCl@ss 8.0/8.1:</b>	27189217
<b>eCl@ss 6.0/6.1:</b>	27181001
<b>Product description:</b>	EL Blanking plate, 482.6 mm (19"), 4 U
<b>Approvals</b>	
<b>Certificates:</b>	EAC