

Rittal – The System.

Faster – better – worldwide.

Switch housings – SM 2384.030

Date : Dec 16, 2013

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Switch housings Stainless steel – SM 2384.030

created : 16.12.2013 on www.rittal.com/com-en



Product description

Material: Enclosure: Stainless steel 1.4301 (AISI 304)
Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal

Surface finish: Enclosure and cover: Brushed, grain 240

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
NEMA:** NEMA 4X

Supply includes: Enclosure with cover
Quick-release fasteners

Packs of: 1 pc(s).

EAN: 4028177529434

**Customs tariff
number:** 94039010

Product features

Dimensions: Width: 220 mm
Height: 100 mm
Depth: 90 mm

Pitch pattern: 60 mm

**No. of switch cut-outs
Ø 22.5 mm:** 3

Number of quick-release fasteners: 4

Approvals

Certificates Sorry, there is currently no information available

Declarations Sorry, there is currently no information available

Approvals Sorry, there is currently no information available

Downloads / CAD

Documentation Sorry, there is currently no information available

Characteristic curves Sorry, there is currently no information available

Videos Sorry, there is currently no information available

Data sheets Sorry, there is currently no information available

CAD-Drawing Sorry, there is currently no information available

Treiber/Software Sorry, there is currently no information available

Rittal – The System.

Faster – better – worldwide.

- Enclosures
- Power distribution
- Climate control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postbox 1662 · D-35726 Herborn
Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

