

Rittal – The System.

Faster – better – everywhere.

Security lock – SZ 2419.000

Date : Jul 21, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Security lock – SZ 2419.000

created : 21.07.2014 on www.rittal.com/com-en



Product description

Description:

- Fitted to doors, to protect against contact with live electrical equipment whilst the master switch is ON.

Function principle:

- Locks the door when the master switch is ON.
- Mains power (voltage) is only enabled whilst the door is closed.
- Monitoring of the lock magnet via an additional closing contact.

Supply includes:

- Lock
- Actuator
- Angle bracket
- Assembly parts

Packs of:

- 1 pc(s).

EAN:

- 4028177022713

Customs tariff number:

- 83015000

Product features

Rated operating voltage:

- 120 V, 50 Hz

Power consumption:

- At 50 Hz: 8 VA

Weight:


- 0.74 kg

Approvals

Approvals:


-  [UL \(DE\)](#)
-  [CSA \(EN\)](#)

Declarations:

-  [Declaration of conformity \(DE\)](#)

Downloads

Documentation:

-  [Instructions \(EN, DE\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP