

Rittal – The System.

Faster – better – everywhere.

Ergoform-S lock system – SZ 2455.010

Date : Jun 23, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Ergoform-S lock system – SZ 2455.010

created: 23.06.2017 on www.rittal.com/com-en



Product description

Design:	Standard
Description:	The unlocked handle folds down forwards, and the lock is opened by swivelling.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Colour:	RAL 7035 with brown handle and bracket

Product features

Design:	Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
To fit:	Enclosure type: AE with 3-point lock Enclosure type: Based AE with 3-point lock Enclosure type: Wall-mounted enclosure AE with 3-point lock Enclosure type: TP pedestals Enclosure type: One-piece console TP - Console door Enclosure type: TP universal console Enclosure type: AE with stainless steel 3-point lock Enclosure type: Based on AE with stainless steel 3-point lock Enclosure type: One-piece console - stainless steel door
Packs of:	1 pc(s).
Weight/pack:	0.54 kg

EAN: 4028177559103

Customs tariff number: 83024110

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1: 27409217

eCl@ss 7.0/7.1: 27189266

eCl@ss 6.0/6.1: 27189266

eCl@ss 5.1/5.1.4: 27189220

Product description (long): SZ Ergoform-S lock system, Standard, RAL 7035 with brown handle and latch

Approvals

Certificates: EAC