Rittal - The System.

Faster – better – worldwide.

■ Rain canopies, stainless steel – SZ 2471.000

Date: Nov 18, 2013



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Rain canopies, stainless steel For AE – SZ 2471.000 created: 18.11.2013 on www.rittal.com/com-en



Certificates

Product description	n
Description:	Reliable protection for outdoor siting – with water run-off to the rear. Easily retro-fitted.
Material:	Stainless steel 1.4301 (AISI 304)
Surface finish:	Brushed, grain 240
Note:	For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door or screw-fastened rear panel and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cannot be compared with an enclosure sited outdoors or under similar conditions. Upon request, rain canopies of sheet steel, stainless steel or aluminium can also be produced for other enclosures.
Packs of:	1 pc(s).
EAN:	4028177024489
Customs tariff number:	94039010
Product features	
To fit:	Enclosure type: AE Width: 380 mm Depth: 155 mm
Approvals	

© Rittal 2013

1

Sorry, there is currently no information available

Declarations	Sorry, there is currently no information available
Approvals	Sorry, there is currently no information available
Downloads / CAD	
Documentation	Sorry, there is currently no information available
Characteristic curves	Sorry, there is currently no information available
Videos	Sorry, there is currently no information available
Data sheets	Sorry, there is currently no information available
CAD-Drawing	Sorry, there is currently no information available

Please note that there are the following alternative products:



Hygienic Design Kompakt-Schaltschrank HD

© Rittal 2013 2

Rittal – The System.

Faster - better - worldwide.

- Enclosures
- Power distribution
- Climate control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG Postbox 1662 · D-35726 Herborn

Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319

E-Mail: info@rittal.com · www.rittal.com

