## Rittal - The System.

Faster – better – everywhere.

## Connection cable – SZ 2500.400

Date: Dec 18, 2017



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## **Connection cable – SZ 2500.400**

created: 18.12.2017 on www.rittal.com/com-en



Product description	
Design:	Infeed, 3-pole (with socket, without connector)
Description:	For time-saving and simple installation of the LED system light.
Colour:	Orange
Standards:	Power supply cords: AVLV2 Mains connector: ECBT2
Product features	
Dimensions:	Length: 3000 mm
Rated operating voltage:	100 V - 240 V, 1~, 50 Hz/60 Hz
Cross-section:	1.5 mm²
Packs of:	5 pc(s).
Weight/pack:	1.55 kg
EAN:	4028177809093
Customs tariff number:	85444290
ETIM 6.0:	EC001576

© Rittal 2017

ETIM 5.0:	EC001576
eCI@ss 8.0/8.1:	27060402
eCl@ss 7.0/7.1:	27119116
eCl@ss 6.0/6.1:	27119116
eCl@ss 5.1/5.1.4:	27189241
Product description (long):	SZ Connection cable, for power supply, 3-pole, 100-240 V, L: 3000 mm
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity

© Rittal 2017 2