Rittal - The System.

Faster – better – everywhere.

Rain canopies, sheet steel for AE – SZ 2501.500

Date : Aug 17, 2016



Rain canopies, sheet steel for AE – SZ 2501.500 created: 17.08.2016 on www.rittal.com/com-en



Description: Reliable protection for outdoor siting – with water run-off to the rear. Easily retro-fitted. Material: Sheet steel Surface finish: Powder-coated, textured paint Colour: RAL 7035 Supply includes: Assembly parts Note: For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions. Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: 94039010 customs tariff number: 27182401 e Cl@ss 7.0: 27182405	Product descriptio	on
Surface finish: Powder-coated, textured paint Colour: RAL 7035 Supply includes: Assembly parts For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: eCl@ss 5.1: 27182401	Description:	Reliable protection for outdoor siting – with water run-off to the rear. Easily retro-fitted.
Colour: RAL 7035 Supply includes: Assembly parts Note: For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: 94039010 eCl@ss 5.1: 27182401	Material:	Sheet steel
Supply includes: Assembly parts For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: 94039010 eCl@ss 5.1: 27182401	Surface finish:	Powder-coated, textured paint
Note: For outdoor siting, we generally recommend a rain canopy above the enclosure or the gap between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions. Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: 94039010 27182401	Colour:	RAL 7035
between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cabe compared with an enclosure sited outdoors or under similar conditions Depending on the ambient conditions, additional measures may be required Packs of: 1 pc(s). EAN: 4028177477049 Customs tariff number: 94039010 27182401	Supply includes:	Assembly parts
EAN: 4028177477049 Customs tariff number: 94039010 eCl@ss 5.1: 27182401	Note:	between the door and the enclosure, in order to protect against water and UV radiation. Testing of IP protection categories for water protection (2nd code number to IEC 60 529) cannot be compared with an enclosure sited outdoors or under similar conditions
Customs tariff number: 94039010 eCl@ss 5.1: 27182401	Packs of:	1 pc(s).
number: eCl@ss 5.1: 27182401	EAN:	4028177477049
		94039010
eCl@ss 7.0: 27182405	eCl@ss 5.1:	27182401
	eCl@ss 7.0:	27182405
ETIM 6.0: EC000744	ETIM 6.0:	EC000744

© Rittal 2016

Product features

To fit: Enclosure type: AE

Enclosure type: AE Width: = 380 mm Depth: = 210 mm

Weight/pack: 1.74 kg

Downloads

CAD drawings: Request

© Rittal 2016 2