

# Rittal – The System.

Faster – better – everywhere.

## ► Wall mounting bracket for AX sheet steel, KX sheet steel, AX IT – AX 2503.020

Date : Mar 12, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wall mounting bracket for AX sheet steel, KX sheet steel, AX IT – AX 2503.020

created: 12.03.2020 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

<b>Description:</b>	Ideal for convenient one-person assembly of wall-mounted enclosures, even in confined spaces.
<b>Benefits:</b>	<p>Screw-fastened directly from the rear with a self-tapping screw into the enclosure eyelet</p> <p>Simply suspend the wall-mounted bracket from a screw in the wall</p> <p>Different mounting positions allow the wall mounting bracket to be tailored to local conditions on site.</p> <p>As an alternative to the self-tapping screw, the support may also be secured from the inside using a screw and nut</p>
<b>Material:</b>	Sheet steel, zinc-plated
<b>Supply includes:</b>	Wall mounting bracket Assembly parts

## Product features

<b>To fit:</b>	Enclosure type: AX sheet steel Enclosure type: KX sheet steel
<b>Wall distance:</b>	40 mm
<b>Packs of:</b>	4 pc(s).
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177938274

<b>Customs tariff number:</b>	73182900
<b>ETIM 7.0:</b>	EC002625
<b>ETIM 6.0:</b>	EC002625
<b>eCl@ss 8.0/8.1:</b>	27189234
<b>eCl@ss 6.0/6.1:</b>	27182405
<b>Product description:</b>	SZ Wall mounting bracket, for AX and KX, sheet steel, wall distance: 40 mm
<b>Approvals</b>	
<b>Approvals:</b>	UL + C-UL