Rittal - The System.

Faster – better – everywhere.

Wiring plan pocket, plastic for AE − SZ 2514.600

Date : Aug 26, 2015



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Wiring plan pocket, plastic for AE – SZ 2514.600 created: 26.08.2015 on www.rittal.com/com-en



Product description	n			
Froduct description				
Benefits:	The acrylic glazed pane may be shortened to any required size for shorter doors.			
Supply includes:	2 holders with double-sided adhesive tape Acrylic glazed pane Assembly parts			
Packs of:	1 pc(s).			
EAN:	4028177323797			
Customs tariff number:	39269097			
eCl@ss 5.1:	27189236			
e Cl@ss 7.0:	27189267			
ETIM 6.0:	EC000317			
Product features				
To fit:	Height: ≥ 500 mm			
Installation options:	Screw-fastened to the perforated door strip on both sides Screw-fastened on one side, other side stuck with adhesive or stuck entirely with adhesive.			
Usable dimensions:	Width: 415 mm Depth: 18 mm			

© Rittal 2015

Height of acrylic glazed pane:	167 mm
Weight/pack:	0.6 kg
Downloads	
CAD drawings:	Request

© Rittal 2015