

Rittal – The System.

Faster – better – everywhere.

► Wiring plan pocket of sheet steel Width- variable, for AX – AX 2515.400

Date : Feb 3, 2022

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wiring plan pocket of sheet steel Width-variable, for AX – AX 2515.400

created: 03.02.2022 build on www.rittal.com/uk-en



Product description

Description:	For fastening to the perforated door strip at any height. Variable and easily adjustable in the width.
Colour:	RAL 7035
Assembly instruction:	For installation in AX stainless steel, only in conjunction with perforated door strip
Supply includes:	Assembly screws

Product description

Dimensions:	Depth: 35 mm
To fit door width:	760 mm 800 mm
Clearances:	Clearance width: 625 - 725 Clearance height: 210 mm
Packs of:	1 pc(s).
Copper weight (kg per piece):	0
EAN:	4028177938328
Customs tariff number:	73269098

ETIM 7.0:	EC000317
ETIM 6.0:	EC000317
eCl@ss 8.0/8.1:	27189267
eCl@ss 6.0/6.1:	27189267
Product description:	AX Sheet steel wiring plan pocket, width-variable, L: 625 - 725 mm, for door width 760/800 mm