## Rittal - The System.

Faster - better - worldwide.

# ► Viewing window – FT 2763.000

Date: Oct 24, 2013



ENCLOSURES >> POWER DISTRIBUTION >> CLIMATE CONTROL >> IT INFRASTRUCTURE >> SOFTWARE & SERVICES >>

### Viewing window – FT 2763.000 created: 24.10.2013 on www.rittal.com/com-en



_				
PrΛ	duct	MAC(	rinti	Λn
	uuci	<b>ucs</b>	91 ID U	vii

Description: For mounting on: AE instead of door, surfaces

Material: Frame: Aluminium, natural anodised.

Glass panel: Acrylic

**Protection category** IP to IEC 60 529:

IP 54

Supply includes:

Plastic handle with lock insert no. 3524 E.

Packs of:

1 pc(s).

EAN:

4028177032088

**Customs tariff** 

number:

76101000

#### **Product features**

**Dimensions:** Width: 497 mm

Height: 497 mm Depth: 60 mm

Viewing area:

Width: 437 mm Height: 437 mm

**Build depth for** components (max.): 56 mm

#### **Approvals**

© Rittal 2013

Certificates	Sorry, there is currently no information available	
Declarations	Sorry, there is currently no information available	
Approvals	Sorry, there is currently no information available	
Downloads / CAD		
Documentation	Sorry, there is currently no information available	
Characteristic curves	Sorry, there is currently no information available	
Videos	Sorry, there is currently no information available	
Data sheets	Sorry, there is currently no information available	
CAD-Drawing	Sorry, there is currently no information available	

© Rittal 2013 2

## Rittal – The System.

#### Faster - better - worldwide.

- Enclosures
- Power distribution
- Climate control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG Postbox 1662 · D-35726 Herborn

Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319

E-Mail: info@rittal.com · www.rittal.com

