



Enclosure heater without fan – SK 3105.320

Date : Nov 14, 2019



Enclosure heater without fan – SK 3105.320

: 14.11.2019 build on www.rittal.com/uk-en



Product description

Material: Aluminium, anodised

**Protection category
IP to IEC 60 529:** IP 20

Supply includes: PTC heater
Quick-connection terminal
Assembly parts

Note: A thermostat is recommended for precise temperature control inside the enclosure. In order to prevent condensation on assemblies, a hygrostat is recommended to regulate heating. In larger enclosures, even heat distribution is best achieved by installing several low-output heaters.

Note on Model No.: Special voltages available on request. We reserve the right to make technical modifications.

Product features

**Continuous thermal
output at 10 °C:** 18 W - 20 W

**Rated operating
voltage:** 110 V - 240 V, 1~, 50 Hz/60 Hz

Dimensions: Width: 45 mm
Height: 120 mm
Depth: 46 mm

**Miniature circuit-
breaker/fuse:** 2 A

Packs of: 1 pc(s).

Weight/pack:	0.22 kg
EAN:	4028177638624
Customs tariff number:	85162999
ETIM 7.0:	EC000737
ETIM 6.0:	EC000737
eCl@ss 8.0/8.1:	27180710
eCl@ss 6.0/6.1:	27180710
Product description:	SK enclosure heater, without fan, 18-20 W, 110-240 V, 1~, 50/60 Hz, WHD: 45 x 120 x 46 mm

Approvals

Approvals:	Approval overview VDE	CSA UR + C-UR
Certificates:	EAC	
Declarations:	Declaration of conformity	