

Rittal – The System.

Faster – better – everywhere.

Enclosure heaters without fan – SK 3105.340

Date : Apr 7, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Enclosure heaters without fan – SK 3105.340

created : 07.04.2015 on www.rittal.com/com-en



Product description

Supply includes: PTC heater
Quick-connection terminal
Assembly parts

Note: For precise temperature control inside the enclosure, we recommend the enclosure internal thermostat or the digital enclosure internal temperature display and thermostat.
In order to prevent condensation on assemblies, a hygrostat is recommended to regulate heating.
In larger enclosures, even heat distribution is best achieved by installing several low-output heaters.
The installation of heaters is generally advisable, in order to prevent condensation.

Note on Model No.: Special voltages available on request. We reserve the right to make technical modifications.

Packs of: 1 pc(s).

EAN: 4028177638648

Customs tariff number: 85162999

eCl@ss 5.1: 27180710

eCl@ss 7.0: 27180710


Product features

Continuous thermal output at 10°C: 49 W - 50 W

Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz

Dimensions:	Width: 64 mm Height: 155 mm Depth: 56 mm
Pre-fuse:	Miniature circuit-breaker/fuse: 4 A
Weight/PU:	0.4 kg
Approvals	
Approvals:	Approval overview (EN) C-UR (EN) CSA (EN) UR (EN) UR + C-UR (EN)
Declarations:	Declaration of conformity (DE)
Downloads	
Data sheets:	Performance diagrams (DE) Technical details EN Technical system catalogue (DE)
Documentation:	Instructions EN
Specialist literature:	The Rittal technology library EN
CAD drawings:	Request

Please note that there are the following alternative products:

	<p>Enclosure heaters with fan</p>
--	-----------------------------------