

Rittal – The System.

Faster – better – everywhere.

► Roof-mounted fan, roof vent – SK 3138.000

Date : Jul 6, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Roof-mounted fan, roof vent – SK 3138.000

created: 06.07.2017 on www.rittal.com/com-en



Product description

Colour: RAL 7035

**Protection category
IP to IEC 60 529:** IP 21 without filter mat
IP 55 including filter mat

**Protection category
NEMA:** NEMA 12

Supply includes: Complete unit ready to install, including filter mat

Note: For energy-efficient operation of the fans, we recommend the use of thermostats or temperature displays

Product features

Dimensions: Width: 400 mm
Height: 133 mm
Depth: 400 mm

**Required mounting
cut-out:** Width: 258 mm
Depth: 258 mm

Installation depth: 27.5 mm

Temperature range: Bearing: -40°C...+70°C
Operation (environment): -30°C...+55°C

Diagonal fan: without fan motor

Packs of:	1 pc(s).
EAN:	4028177709188
Customs tariff number:	84213925
ETIM 6.0:	EC000320
ETIM 5.0:	EC000320
eCl@ss 8.0/8.1:	27180716
eCl@ss 7.0/7.1:	27180716
eCl@ss 6.0/6.1:	27180716
eCl@ss 5.1/5.1.4:	27180707

Approvals

Approvals: Approval overview
CSA
UR + C-UR

Declarations: Declaration of conformity