


# Rittal – The System.

Faster – better – everywhere.



## SK 3183.125 Pleated filter

State: 10/10/2023 (Source: [rittal.com/com-en](http://rittal.com/com-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3183.125 - Pleated filter for fan-and-filter units, roof-mounted fans, cooling units and chillers

The high-quality pleated filter technology permits a significant increase in the volumetric air flow compared to conventional chopped-fibre filter mats. Cooling unit performance is improved and energy consumption is lower. The enhanced filtration properties also mean less dust in the enclosure or unit, and the resulting longer maintenance intervals reduce service costs significantly.



## Features

Model No.	SK 3183.125
Note	Performance data, protection category and device approvals are only guaranteed when used in conjunction with original Rittal filter mats.
To fit Model No.	3243.xxx 3244.xxx 3245.xxx
Dimensions	Width: 280 mm Height: 280 mm Depth: 21 mm
Dimensions of absorber mat	Width: 289 mm Height: 289 mm
IP protection category to IEC 60529	IP55 in fan-and-filter units/outlet filters
Protection category	In conjunction with fan-and-filter units/outlet filters 3245.xxx, the protection category is IP52
Note on Model No.	No suitable for use in EMC fan-and-filter units.

# Features

---

Weight/pack	0.9 kg
Packs of	5 pc(s).
Customs tariff number	56039390
EAN	4028177969087
ETIM 7.0	EC002513
ECLASS 8.0	27180706

---