

Rittal – The System.

Faster – better – everywhere.

► EC speed control Control unit for EC fan – SK 3235.440

Date : Feb 13, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



EC speed control Control unit for EC fan – SK 3235.440

created: 13.02.2020 build on www.rittal.com/uk-en



Product description

Description: Temperature-dependent speed control for EC fans to reduce noise and save energy. The function of the fan can also be monitored.

Function principle: Activation and monitoring of up to 4 EC fan-and-filter units
For mounting on a 35 mm support rail EN 50 022
External temperature sensor to record the actual temperature
Status LED to display the operating status
Alarm relay for reporting overtemperature, fan defect, cable break and sensor failure

Supply includes: Speed control
NTC sensor, length 1.80 m

To fit Model No.: 3240.500
3241.500
3243.500
3244.500
3245.XXX
3140.500
3140.510

Product features

Rated operating voltage: 100 V - 250 V

Temperature range: Setting range: +5 °C...+55 °C

Speed: 100 %

Packs of: 1 pc(s).

Weight/pack: 0.53 kg

EAN:	4028177670716
Customs tariff number:	85423190
ETIM 7.0:	EC000256
ETIM 6.0:	EC000256
eCl@ss 8.0/8.1:	27142320
eCl@ss 6.0/6.1:	27210707
Product description:	SK speed control unit EC, Control unit for EC fan, 100-250 V
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity