Rittal – The System.

Faster – better – everywhere.






SK 3237.400 Blue e+ outlet filter

State: 10/06/2024 (Source: rittal.com/com-en)



SK 3237.400 - Blue e+ outlet filter EMC

For ventilation by convection, an outlet filter can be fitted in both the upper and lower sections of the enclosure.



Features

Model No.	SK 3237.400
Benefits	Easy filter changes, thanks to a new opening mechanism on the
	louvred grille
	Faster installation on the enclosure with optimised detent hooks
	Tool-free assembly
Colour	RAL 7035
Supply includes	Outlet filter
	EMC filter mat
Mounting cut-out	Cut-out width: 92 mm
	Cut-out height: 92 mm
To fit Model No.	SK 3237.8xx
Dimensions	Width: 116.5 mm
	Height: 116.5 mm
	Depth: 33.2 mm
Protection category NEMA	Type 12 with chopped-fibre filter
	Type 3, 3R with chopped-fibre filter and hose-proof hood
IP protection category to IEC 60	IP54 with chopped-fibre filter
529	IP56 with chopped-fibre filter and hose-proof hood
Weight/pack	0.1 kg
Packs of	1 pc(s).
Customs tariff number	39269097

© Rittal 2024

2

Features

EAN	4028177998414
ETIM 8	EC002513
ETIM 7.0	EC002513
ECLASS 8.0	27180706

Approvals

Approvals UR + C-UR (recognized)

© Rittal 2024 3