


Faster – better – everywhere.





SK 3243.400 Blue e+ outlet filter

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 13/06/2024 (Source: rittal.com/com-en)



IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SK 3243.400 - Blue e+ outlet filter EMC

For ventilation by convection, an outlet filter can be fitted in both the upper and lower sections of the enclosure.



Features

Model No.	SK 3243.400
Benefits	Easy filter changes, thanks to a new opening mechanism on the
	louvred grille
	Faster installation on the enclosure with optimised detent hooks
	Tool-free assembly
Colour	RAL 7035
Supply includes	Outlet filter
	EMC filter mat
Mounting cut-out	Cut-out width: 292 mm
	Cut-out height: 292 mm
To fit Model No.	SK 3243.8xx/3244.8xx/3245.8xx
Dimensions	Width: 323 mm
	Height: 323 mm
	Depth: 44.7 mm
Protection category NEMA	Type 12 with chopped-fibre filter
	Type 3, 3R, 4, 4X with chopped-fibre filter and hose-proof hood
IP protection category to IEC 60	IP54 with chopped-fibre filter
529	IP56 with chopped-fibre filter and hose-proof hood
Weight/pack	0.79 kg
Packs of	1 pc(s).
Customs tariff number	39269097

Features

EAN	4028177998315	
ETIM 8	EC002513	
ETIM 7.0	EC002513	
ECLASS 8.0	27180706	

Approvals

Approvals

UR + C-UR (recognized)