

Rittal – The System.

Faster – better – everywhere.

Bus-mounting fuse bases – SV 3418.010

Date : Mar 5, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Bus-mounting fuse bases – SV 3418.010

created : 05.03.2014 on www.rittal.com/com-en



Product description

Material:

- Bus-mounting fuse base: Fibreglass-reinforced, thermoplastic polyester (PBT)
- Contact hazard protection: Polyamide (PA 6.6)
- Fire protection corresponding to UL 94-V0

Colour:

- RAL 7035

Note:

- For the use of fuse inserts to EN 60 269-3 (DIN VDE 0636-301)

Packs of:

- 10 pc(s).

EAN:

- 4028177674929

Customs tariff number:

- 85369085

Product features

To fit busbars:

- Cross-section (thickness): 5 mm
- 10 mm

Number of poles:

- 3-pole

For bar systems with centre-to-centre spacing:

- 60 mm

Dimensions:

- Width: 27 mm
- Height: 209 mm

Type of electrical connection:

- Box terminal

Rated operating voltage:

- 400 V, 3~
- 400 V (DC)

Clamping area for round conductor cross-sections:

- 1.5 mm² - 25 mm²
- fine wire with wire end ferrule: 1.5 mm² - 25 mm²
- Solid: 1.5 mm² - 25 mm²
- Note: Wire end ferrules should be used with fine wire conductors.

Rated current (max.):

- 63 A

Fuse inserts:

- D 02-E 18 (adaptor sleeve)

Please note that there are the following alternative products:

**Bus-mounting fuse bases**

Further information on this product

» www.rittal.com/com-en/Bus_mounting_fuse_bases

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP