

Rittal – The System.

Faster – better – everywhere.



SV 3582.000 Busbars E-Cu

State: 23/06/2022 (Source: rittal.com/com-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 3582.000 - Busbars E-Cu

Length: 2400 mm/bar.



Features

Model No.	SV 3582.000
Material	E-Cu F30
Length	2,400 mm
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	Flat copper bar width: 20 mm Flat copper bar thickness: 5 mm
Packs of	6 pc(s).
Weight/pack	15.9 kg
Copper weight (kg per piece)	2.15
Customs tariff number	74071000
EAN	4028177044784
ETIM 7.0	EC001522
ECLASS 8.0	27370303

Approvals

Approvals	UL + C-UL
-----------	-----------

Approvals

Explanations

Declaration of conformity

Tender text

Busbar made from E-Cu

Busbars E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 20 x 5 mm

Cross section: 99.1 qmm

Weight: 0882 Kg/m

Electrical parameters

IEC: to 319 A

UL 508: 230 A

System:

Rittal RiLine60