

Rittal – The System.

Faster – better – everywhere.

Wall spacer bracket HD – HD 4000.100

Date : Mar 31, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall spacer bracket HD – HD 4000.100

created : 31.03.2014 on www.rittal.com/com-en



Product description

Benefits:

- Creates space for cleaning behind the enclosure.
- Shorter assembly times by eliminating the need for an all-round seal.
- Greater hygiene safety by avoiding an uncontrollable dead space or gap between the enclosure and wall.

Function principle:

- Mounting on the wall optionally from the enclosure interior via a through-hole (max. M8) or from the rear via an integral M10 thread.

Material:

- Stainless steel 1.4301 (AISI 304)

Supply includes:

- Assembly parts and seals.

Packs of:

- 1 pc(s).

EAN:

- 86222

Customs tariff number:

- 73269098


Product features

Wall distance:

- 50 mm


Approvals

Certificates:

-  [DGUV \(FR, EN, DE\)](#)

Downloads

Documentation:

-  [Info sheet \(PT, ZH, CS, FR, JP, RU, ES, DE, FI, KO, SV, NO, NL, VI, EN, HU, PL, IT, DA\)](#)
-