

Rittal – The System.

Faster – better – everywhere.

Door-operated switch – SZ 4127.010

Date : Mar 2, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Door-operated switch – SZ 4127.010

created : 02.03.2014 on www.rittal.com/com-en



Product description

Packs of:

- 1 pc(s).

EAN:

- 4028177497740

Customs tariff number:

- 85369085

Product features

Design:

- Without connection cable

Suitable for rated operating voltage:

- 240 V AC
- 125 V DC
- 24 V AC
- 24 V DC

Suitable for rated current (max.):


- 6 A
- 8 A
- 6 A
- 6 A

Approvals

Approvals:

-  [UL \(FR, EN, DE\)](#)
-  [CSA \(EN\)](#)

Declarations:

-  [Declaration of conformity \(EN, DE\)](#)

Downloads

Documentation:

-  [Info sheet \(PT, ZH, CS, FR, JP, RU, ES, DE, FI, KO, SV, NO, NL, VI, EN, HU, PL, IT, DA\)](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP