

Rittal – The System.

Faster – better – everywhere.

► Universal light with integral motion detector – SZ 4155.010

Date : Oct 23, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Universal light with integral motion detector – SZ 4155.010

created : 23.10.2014 on www.rittal.com/com-en



Product description

Description: Compact fluorescent tube 18 W with high luminosity.

Benefits: Simple, fast assembly

Material: Plastic

Supply includes: Universal light
Integral motion detector
Light
Light cover
Assembly parts

Packs of: 1 pc(s).

EAN: 4028177679825

Customs tariff number: 94054095

Product features

Dimensions: Width: 345 mm
Height: 95 mm
Depth: 55 mm

Rated operating voltage: 110 V - 240 V, 1~, 50 Hz/60 Hz

Power consumption: 18 W

Equipment Ballast: Wide-range electronic ballast

(electrical): Light: Compact fluorescent lamp, base 2G11
Protection category: I (protectively earthed)
Connection options: Power supply via connectors
Through-wiring (creating rows of lights)
Integral motion detector: yes
Switch (type): Integral, on/off/motion detector mode

Light – installation type: Screw-fastening
Clip attachment

Light – mounting option: TS vertical section, with adaptor bracket
AE/CM/TP, with universal bracket
TS roof frame (horizontal section), direct
AE, with rail for interior installation

Light cover: yes

Weight: 0.88 kg

Approvals

Approvals:  [VDE \(EN, DE\)](#)

Declarations:  [Declaration of conformity \(DE\)](#)

Downloads

Documentation:  [Instructions \(FR, EN, DE\)](#)
