

Rittal – The System.

Faster – better – everywhere.

▶ PS punched section without mounting flange, 23 x 73 mm for TS, SE – PS 4377.000

Date : Jan 12, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



PS punched section without mounting flange, 23 x 73 mm for TS, SE – PS 4377.000

created : 12.01.2015 on www.rittal.com/com-en



Product description

Material: Sheet steel

Surface finish: zinc-plated

Packs of: 4 pc(s).

EAN: 4028177100015

Customs tariff number: 73269098

eCl@ss 5.1: 27189250

eCl@ss 7.0: 23159101

Product features

To fit: Enclosure type: TS
Enclosure type: SE
Width: = 800 mm
Height: = 800 mm
Depth: = 800 mm

Installation options: Directly to the vertical enclosure section via support brackets TS, via adaptor rail for PS compatibility in conjunction with support brackets PS
Directly on the horizontal enclosure section via support brackets PS

Length: 695 mm

Weight: 0.74 kg

Downloads

Data sheets:  [Technical details \(EN\)](#)

CAD drawings: Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP