

Rittal – The System.

Faster – better – everywhere.

► Support rail 75 x 20 mm for TS, SE, CM – TS 4396.000

Date : Mar 21, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Support rail 75 x 20 mm for TS, SE, CM – TS 4396.000

created: 21.03.2018 on www.rittal.com/com-en



Product description

Design: Slotted

Description: For heavy installed equipment. Particularly suitable for the installation of base isolators.

Material: Sheet steel

Surface finish: Zinc-plated

Supply includes: Assembly parts

Product features

To fit: Enclosure type: TS 8
Enclosure type: SE
Enclosure type: CM
Width: = 600 mm
Depth: = 600 mm

Installation options: On the vertical TS, SE enclosure section via snap-on nuts TS 8800.808 or adaptor rails for PS compatibility, height-offset, via TS punched rail 25 x 38 mm
On the horizontal TS enclosure section: in the width, in the depth
in the case of SE, additionally at the horizontal section in the width at the bottom and top or in the depth at the top via snap-on nuts 8800.808.
On base configuration rail for CM

Packs of: 4 pc(s).

Weight/pack: 6.56 kg

EAN: 4028177100398

Customs tariff number: 73269098

ETIM 6.0: EC001285

ETIM 5.0: EC001285

eCl@ss 8.0/8.1: 27189261

eCl@ss 7.0/7.1: 23159101

eCl@ss 6.0/6.1: 23159101

eCl@ss 5.1/5.1.4: 27189250

Product description (long): TS Support rail, for TS, SE, CM, for W/D: 600 mm, slotted
