

Rittal – The System.

Faster – better – everywhere.

► Mounting bars for TS, SE, CM, TP – TS 4596.000

Date : Jun 8, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Mounting bars for VX, TS, SE, CM, TP – TS 4596.000

created: 08.06.2018 on www.rittal.com/com-en



Product description

Design: On the vertical and horizontal TS, SE enclosure section on the inner mounting level, height-offset all-round
On the tubular door frame TS, SE
For the inner mounting level and for mounting on doors

Design: On the vertical and horizontal TS, SE enclosure section on the inner mounting level, height-offset all-round
On the tubular door frame TS, SE
On the perforated door strip CM, TP

Description: For simple cable routing from the mounting plate to the door.

Applications: On the inner and outer mounting level, on the enclosure section

Material: Sheet steel

Surface finish: Zinc-plated

Supply includes: Assembly parts

Product features

To fit: Enclosure type: TS
Enclosure type: SE
Enclosure type: CM
Enclosure type: TP
Width/depth: 500 mm

Dimensions: Length: 490 mm

To fit door width:	600 mm
Packs of:	20 pc(s).
Weight/pack:	5.04 kg
EAN:	4028177103764
Customs tariff number:	73269098
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189233
Product description (long):	TS Support strip, for TS, SE, CM, TP, for the inner mounting level: for W/D: 500 mm, for door width: 600 mm, L: 490 mm
Approvals	
Certificates:	EAC