Rittal - The System.

Faster – better – everywhere.

Interconnecting rodsTS 4920.000

Date: Feb 28, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Interconnecting rods – TS 4920.000

created: 28.02.2018 on www.rittal.com/com-en



Product description

Description: For extending the door locking of commercially available master switches to bayed suites TS.

Adjacent doors cannot be opened until the main door has been opened.

_			
Dro	もいいと	feati	ILDE

To fit:

Installation options:

To extend locking from the main enclosure to the adjacent enclosures of a bayed suite. An

options: To extend locking from the main enclosure to the adjacent enclosures of a bayed suite. An interconnecting rod corresponding to the width of the enclosure is required for each adjacent

enclosure.

Width: = 1200 mm

Packs of: 10 pc(s).

Weight/pack: 5.99 kg

EAN: 4028177114029

Customs tariff 73269098 number:

ETIM 6.0: EC000327

ETIM 5.0: EC000327

eCl@ss 8.0/8.1: 27409217

eCl@ss 7.0/7.1: 27189290

© Rittal 2018

eCl@ss 6.0/6.1:	27189290
eCl@ss 5.1/5.1.4:	27189255
Product description (long):	TS Interconnecting rod, for door-locking of bayed enlcosure combinations, for W: 1200 mm

© Rittal 2018 2