

Rittal – The System.

Faster – better – everywhere.

► Compact system enclosures CM – CM 5110.500

Date : Mar 31, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact system enclosures CM – CM 5110.500

created : 31.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Sheet steel 1.5 mm
- Door: Sheet steel, 2.0 mm, all-round foamed-in PU seal
- Mounting plate: Sheet steel 3.0 mm

Surface finish:

- Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint
- Mounting plate: Zinc-plated

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 55 with selection of the appropriate gland plates or trim panel

Protection category NEMA:

- NEMA 12 with selection of the appropriate gland plates or trim panel

Supply includes:

- Enclosure with hinged door(s)
- 3-point locking system with double-bit insert
- Mounting plate
- Open base for individual cable entry

Packs of:

- 1 pc(s).

EAN:

- 747

Product features

Dimensions:

- Width: 600 mm
- Height: 800 mm
- Depth: 400 mm

Mounting plate:

- Width: 540 mm
- Height: 755 mm

Number of doors:





- 1

Weight:


- 39 kg

Approvals



Approvals:

-  [UL + C-UL \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [CSA \(EN\)](#)

Certificates:

-  [Protection category \(EN\)](#)

Declarations:


-  [Manufacturer's declaration \(EN, DE\)](#)
-  [Declaration of conformity \(EN, DE\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

Documentation:

-  [Instructions \(SE, ES, DE, EN, FR, NL, IT, JP\)](#)

CAD drawings:

- Request
-