

Rittal – The System.

Faster – better – everywhere.

► System enclosures SE 8 IP 66/NEMA 4 – SE 5831.580

Date : Feb 9, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



System enclosures SE 8 IP 66/NEMA 4 – SE 5831.580

created : 09.02.2016 on www.rittal.com/com-en



Product description

Description:	The system enclosure is based on the TS 8 platform. System accessories for interior installation in the TS 8 design can be used without restrictions.
Material:	Enclosure: Sheet steel 1.5 mm Door: Sheet steel, 2.0 mm Rear panel: Sheet steel, 1.5 mm Base: sheet steel, 1.5 mm Mounting plate: Sheet steel 3.0 mm
Surface finish:	Enclosure, door and rear panel: dipcoat-primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated Base: Dipcoat-primed and powder-coated, textured paint
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
Supply includes:	Enclosure, solid top and sides Door(s) Mounting plate, depth-adjustable Base, solid Rear panel, detachable Lock: 3 mm double-bit 2 Slide rails
Packs of:	1 pc(s).
EAN:	4028177696730

Customs tariff number:	94032080
eCl@ss 5.1:	27180101
eCl@ss 7.0:	27180101
ETIM 6.0:	EC000261





Product features

Dimensions:	Width: 800 mm Height: 1800 mm Depth: 400 mm
Mounting plate:	Width: 699 mm Height: 1696 mm
Number of doors:	1
Weight/pack:	119.75 kg

Approvals

Approvals:	 UL + C-UL (EN)
Certificates:	 Protection category (EN)
Declarations:	 Declaration of conformity (DE)

Downloads

Data sheets:	 General technical information (EN, DE)  Technical system catalogue (DE)
Documentation:	 Instructions EN, DE  Product presentation (DE)
CAD drawings:	Request

Please note that there are the following alternative products:



System enclosures SE 8

