

Rittal – The System.

Faster – better – everywhere.

► Tilting adaptor $\pm 45^\circ$ for support arm connection $\varnothing 130$ mm – CP 6206.420

Date : Feb 25, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Tilting adaptor $\pm 45^\circ$ for support arm connection $\varnothing 130$ mm – CP 6206.420

created: 25.02.2020 build on www.rittal.com/uk-en



Product description

Benefits:	The inner toothed hinge allows stable locking of the tilted enclosure in a variety of positions. By inserting the grub screws (supplied loose), the rotation range can be limited.
Applications:	For connecting a command panel to a tilting adaptor Coupling CP 60/120/180 for support arm connection $\varnothing 130$ mm, 6206.300, 6212.300, 6218.300 Attachment CP 60/120 for support arm connection $\varnothing 130$ mm, 6206.320, 6212.320 Angle coupling 90° , CP 60/120, 6206.380, 6212.380
Material:	Tilting adaptor: Cast aluminium Concertina section: Plastic
Colour:	RAL 7024
Supply includes:	Seals Concertina section Assembly parts

Product features

Rotating/tilting:	yes
Tilting angle:	Note: Adjustable in 7.5° increments
Packs of:	1 pc(s).
Weight/pack:	1.2 kg

EAN: 4028177684447

Customs tariff number: 76169990

ETIM 7.0: EC000882

ETIM 6.0: EC000882

eCl@ss 8.0/8.1: 27400556

eCl@ss 6.0/6.1: 27189261

Product description: CP Tilting adaptor 45°, CP 60/120, for support arm connection Ø 130 mm

Approvals

Declarations: Manufacturer's declaration
