Rittal - The System.

Faster – better – everywhere.

Compact Panel – CP 6340.400

Date: Oct 29, 2018



OCCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Compact Panel – CP 6340.400

created: 29.10.2018 on www.rittal.com/com-en



Product description	
Design:	with support arm o

Design: with support arm connection 90 x 71 mm for CP 40, steel

Description: For small operating units built into front panels. The front panel is inserted from the rear

and secured with screw clamps. Special front panels with a material thickness of between 2 and 6 mm are possible. Rear panel optionally hinged on the left or right. Roof

tray with cut-out and reinforcement for support arm system CP 40 steel.

Material: Roof tray, base tray: Die-cast zinc

Rear panel: Aluminium

Side parts: Extruded aluminium section

Screw cover: Plastic

Surface finish: Roof tray, base tray, side parts: Powder-coated

Rear panel: natural anodised

Colour: RAL 7024

Protection category IP to IEC 60 529:

IP 65

Supply includes: Roof tray

Base tray Rear panel Side parts Screw cover

Seal and screw clamp

Product features

For the configuration of subracks:

To fit front panel width: 252 mm

Dimensions: Width: 315 mm

© Rittal 2018

Height: 388 mm Depth: 87 mm

To fit front panels:	with width: 252 mm with height: 350 mm
Packs of:	1 pc(s).
Weight/pack:	4.5 kg
EAN:	4028177382725
Customs tariff number:	94032080
ETIM 6.0:	EC002504
ETIM 5.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 7.0/7.1:	27180505
eCl@ss 6.0/6.1:	27180505
eCl@ss 5.1/5.1.4:	27180505
Product description (long):	CP Compact Panel, WHD: 315x388x87 mm, aluminum, for front panel WH 252x350 mm
Approvals	
Declarations:	Declaration of conformity

© Rittal 2018